

Ultra Endure 25-60W LED CCT Anti-Ligature 5ft White Batten

Part Code: 70174

The Ultra Endure LED Batten is CCT and anti-ligature, available in both Black and White. Also available in emergency and with Dali Dimming.

- Suitable for challenging & tough environments
- Perfect for secure hospitals, tunnels & prisons
- IK10



7 Year
Guarantee




IP65
Rated



220/240
Volts



Wattage
Switchable



Wattage Switchable CCT Vandal Resistant Batten



Product Category Fittings / Fittings

Application Anti-Ligature Batten

Product Warranty 7 Years

EAN 5013588701745

Commodity Code 9405423100

Country of Origin CN

Technical Specification

| | |
|--------------------------------|--|
| Watts (W) | 25/33/41/55/60 |
| Equivalent Watts (W) | 40/54/66/90 |
| Volts (V) | 220/240 |
| Colour Temp (K) | 3000/4000/6000 |
| Lumens (lm) | 25W = 3108 (3000K) / 3453 (4000K) / 3261 (6000K) - 35W = 4351 (3000K) / 4835 (4000K) / 4565 (6000K) - 45W = 5594 (3000K) / 6216 (4000K) / 5869 (6000K) - 55W = 6837 (3000K) / 7598 (4000K) / 7174 (6000K) - 60W = 7458 (3000K) / 8288 (4000K) / 7826 (6000K) |
| Lumens per Watt (lm/W) | 115-119 |
| Candelas (cd) | 1130-2756 |
| CRI (Ra) | 80 |
| Frequency (Hz) | 50/60 |
| LED Drive Current | 188-450mA |
| Energy Consumption (kWh/1000h) | 60 |
| Life Hours | 100000 |
| Switching Cycles | 300000 |
| Impact Protection | IK10 |
| IP Rating | IP65 |

Packaging Information

| | |
|--------------------------------|---------------|
| Height (mm) | 78 |
| Width (mm) | 160 |
| Length (mm) | 1500 |
| Individual Product Weight (kg) | 8.62 |
| Single Carton Height (mm) | 207 |
| Single Carton Width (mm) | 124 |
| Single Carton Depth (mm) | 1596 |
| Single Carton Weight (kg) | 8.9 |
| Individual Volume | 0.040966128 |
| Outer Box Qty | 2 |
| Outer Carton Barcode | 7017400000002 |
| Outer Box Height (mm) | 250 |
| Outer Box Width (mm) | 220 |
| Outer Box Depth (mm) | 1610 |
| Outer Box Weight (kg) | 15 |
| Outer Box Volume | 0.08855 |

Wattage Switchable CCT Vandal Resistant Batten

| Additional Information | |
|------------------------|------|
| Beam Angle | 100° |