

Technical Specification



Product Code: MD020SB

OFF ISOLATOR

Description: 10A 3 Pole Fan Isolation Switch Module



General Information

| Dimensions | |
|-------------------------|--|
| 2 | 41mm (W) x 52.5mm (H) x 22mm (D) |
| Aperture Dimensions | 32mm (W) x 31.5mm (H) |
| Finish | Satin Brass |
| Materials | Rocker Switch: Urea Rear Housing: Nylon Switch Cover: Stainless Steel Terminals: Brass Terminal Screws: Steel & Yellow Passivated Contacts: Silver "on-lay" Copper / Brass Internal Busbars: Formed Pressed Brass |
| Maximum Voltage | 250V 50Hz |
| Load Rating | 13A/10AX (Suitable For Inductive Loads) |
| Terminal Size | 3.5mmø |
| Terminal Torque | 0.4Nm |
| Terminal Capacity | 4 x 1.5mm ² or 2 x 2.5mm ² |
| Product Markings | On, Off Fan Isolator |
| Back Box Depth | Dependent On Plate Used |
| Operational Temperature | -5°C to +40°C |
| Warranty | 10 Years |
| Standards | BS EN 60669-1:1999 +A1:2002 +A2:2008 |
| Additional Information | Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product. Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal. |

UK Design Registration: 3015621

Scolmore Park, Landsberg, Lichfield Road Industrial Estate, Tamworth, Staffordshire, B79 7XB United Kingdom **T:** +44 (0)1827 63454 | **F:** +44 (0)1827 63362 **E**: sales@scolmore.com | **W:** scolmore.com

Page 1 of 1 Rev.1.3 Errors & Omissions excluded. Specification is subject to change without notice.