

Product datasheet

Specifications



Loadcenter, KQ B type, 3Phase, 250A ,6 TPN

Local distributor code:

396732765

SE18B250

EAN Code: 5018934961255

Main

| | |
|----------------------------------|--|
| Range | Acti9 |
| Product Name | Load centre KQ II B |
| Product Or Component Type | Distribution board |
| Device Application | Distribution |
| Enclosure Type | Standard |
| Door Type | Overall |
| Provided Equipment | Enclosure Door Front cover Pan assembly Earth terminal block 25 mm ² Shielded neutral bar 25 mm ² |
| Colour | Grey (RAL 7035) |

Complementary

| | |
|---------------------------------------|--|
| Enclosure Mounting | Surface |
| [Ie] Rated Operational Current | 250 A at 400/415 V AC |
| Incomer Device Options | Lugs Switch disconnecter - 4P Terminal block - 4P MCCB - 4P RCCB - 30 mA - 4P RCCB - 100 mA - 4P RCCB - 300 mA - 4P |
| Protection Device Options | Miniature circuit breaker (MCB) (plug-on type) as outgoer Residual current circuit breaker with overcurrent protection (RCBO) (plug-on type) as outgoer |
| Number Of Ways | 6 ways (3P) outgoer |
| Cable Entry | top and bottom: knock-out side: knock-out |
| Height | 484 mm |
| Width | 470 mm |
| Depth | 139 mm |

Environment

| | |
|--------------------------------|--|
| Ip Degree Of Protection | IP2x B internal conforming to BS EN 60529 IP3x external conforming to BS EN 60529 |
|--------------------------------|--|

Packing Units

| | |
|-------------------------------------|-----------|
| Unit Type Of Package 1 | PCE |
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 14.5 cm |
| Package 1 Width | 48.5 cm |
| Package 1 Length | 49 cm |
| Package 1 Weight | 10.016 kg |
| Unit Type Of Package 2 | PAM |
| Number Of Units In Package 2 | 24 |
| Package 2 Height | 112 cm |
| Package 2 Width | 100 cm |
| Package 2 Length | 120 cm |
| Package 2 Weight | 240.68 kg |


Contractual warranty


| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Well-being performance

 Mercury Free

 Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information
